





ASI 26 B
10/2/25



ASI 26 C
10/2/25



Optional Electrocoat Finishes

Bradley offers an exclusive, proprietary electrocoat color process on the Elvari napkin disposal models. Unlike powder coating, color is applied to the entire stainless steel part using a submersion process with electrically charged particles. This process results in a precise film thickness across all surfaces, allowing the grain of the stainless steel to show through.


Electrocoat provides complete coverage to the part and has environmental advantages such as no or low-VOC and HAPs (Hazardous Air Pollutants), heavy metal-free products, and minimum waste discharge. Bradley's electrocoat is durable and easy to clean as well as fingerprint, stain and corrosion resistant. A UV light stabilizer additive enhances resistance to weathering and color fade. Products are performance tested for adhesion following ASTM D3359-22 and impact resistance following ASTM D2794.

Model (Must select one)	
☐ 4B2	Elvari Napkin Disposal
Standard Selections (Must select one from each category)	
Mounting Type (select one)	
☐ 0	Recessed
Napkin Disposal Finish Type (Must select one)	
☐ BB	 Brushed Black
☒ BR	 Brushed Brass
☐ BZ	 Brushed Bronze
☐ BN	 Brushed Nickel
☐ BS	 Brushed Stainless
☐ SS	 Satin Stainless ¹

¹ Model available with **BradEX**® expedited shipping.

Dimensions

(mm)



Orders composed of products indicated as **BradEX**® will be available to ship in three days after receipt of order at the factory. There is no pricing penalty for this service from Bradley.


Verify all rough-in dimensions prior to installation.



KB311-SSRE Vertical Stainless Steel Recessed-Mounted Baby Changing Station

Closed Position

ST. STEEL FINISH



*Diagrams are not to scale.



7B2 Series

Elvari™ Surface-Mounted Shelf

Key Features

- High quality and modern style complements other [Elvari™ products](#)
- Single-piece design for easy mounting
- Advanced welding construction of front and sides
- Optional hooks for personal items, two per shelf
- Radiused sides for a softer design

Guide Specification

Top and back of surface-mounted shelf shall be fabricated of 20-gauge, 300 series stainless steel in a brushed #3 satin finish and has an integral back mounting plate. Front and sides shall be fabricated of 18-gauge, 300 series stainless steel in a brushed #3 satin finish. All exposed surfaces in architectural satin finish. Optional hooks for holding personal items are available. Hooks mount between the wall and back of shelf and are constructed of 20-gauge, 300 series stainless steel in a brushed #3 satin finish or optional electrocoat finishes.

MasterFormat Title: Commercial Toilet Accessories

MasterFormat Number: 10 28 13.13

OmniClass Title: Toilet and Bath Specialties

OmniClass Code: 23.31.25.00

Product Compliance

Listed by UL Environment to

- GreenGuard Gold




BradEX® Models

Standard Model Number	Depth (mm)	Length (mm)	Hooks (qty. 2)
7B2-0051200	5" (127)	12" (305)	No
7B2-0051800	5" (127)	18" (457)	No
7B2-0082400	8" (203)	24" (610)	No
7B2-0051296	5" (127)	12" (305)	Yes
7B2-0051896	5" (127)	18" (457)	Yes
7B2-0082496	8" (203)	24" (610)	Yes

For information on Warranties, Maintenance and BAA/ARRA Compliance, visit our website at: bradleycorp.com/washroom-accessories-products

Orders composed of products indicated as **BradEX®** will be available to ship in three days after receipt of order at the factory. There is no pricing penalty for this service from Bradley.

Verify all rough-in dimensions prior to installation.



Finishes

☒ Click on any color swatch to view as a larger image.

-  Brushed Black*
-  Brushed Brass*
-  Brushed Bronze*
-  Brushed Nickel*
-  Brushed Stainless*
-  Satin Stainless

*Electrocoat Finishes, see Optional Electrocoat Finishes on page 2.


Complementary Bradley Products

- [Euro Style Partitions – Highrise Series](#)
- [Euro Style Partitions – Skyline Series](#)
- [Euro Style Partitions – Float Series](#)
- [Euro Style Partitions – Lucent Series](#)
- [Euro Style Partitions – Loft Series](#)



9B1 Series

Elvari™ Coat/Robe Hook



Models (Must select one)	
☐ 9B1	Elvari Coat/Robe Hook
Standard Selections (Must select one from each category)	
Mounting (select one)	
☐ 11	Surface Mounted
Hooks (select one)	
☐ 00	Single Hook
☐ 02	Double Hook
Hook Finish Type (Must select one)	
☐ BB	☐ Brushed Black
☐ BR	☒ Brushed Brass
☐ BZ	☐ Brushed Bronze
☐ BN	☐ Brushed Nickel
☐ BS	☐ Brushed Stainless
☐ SS	☐ Satin Stainless ¹

¹ Models with Hook Finish Type SS are available with **BradEX**® expedited shipping.

Optional Electrocoat Finishes

Bradley offers an exclusive, proprietary electrocoat color process on the Elvari coat/robe hook models. Unlike powder coating, color is applied to the entire stainless steel part using a submersion process with electrically charged particles. This process results in a precise film thickness across all surfaces, allowing the grain of the stainless steel to show through.

Electrocoat provides complete coverage to the part and has environmental advantages such as no or low-VOC and HAPs (Hazardous Air Pollutants), heavy metal-free products, and minimum waste discharge. Bradley's electrocoat is durable and easy to clean as well as fingerprint, stain and corrosion resistant. A UV light stabilizer additive enhances resistance to weathering and color fade. Products are performance tested for adhesion following ASTM D3359-22 and impact resistance following ASTM D2794.

Orders composed of products indicated as **BradEX**® will be available to ship in three days after receipt of order at the factory. There is no pricing penalty for this service from Bradley.



A WATTS Brand

3B1-00 & 3B1-10 Series

Elvari™ Recessed & Semi-Recessed Waste Receptacles

Key Features

- High quality and modern style complements other [Elvari™ products](#)
- Advanced weld construction
- D-shape design
- Bag retention ring included
- Removeable waste receptacle

Capacity

Small Capacity: 8 gallon

Medium Capacity: 12 gallon

Large Capacity: 18 gallon

Guide Specification

Recessed and semi-recessed waste receptacle. High quality and style. 20-gauge, 300 series stainless steel in a brushed #3 satin finish or optional electrocoat finishes. Welded, D-shape construction. Bag retention ring holds liners in place and can serve as a handle.

Overall Dimensions – Small Capacity:

26-9/16" H x 16-9/16" W x 8-11/16" D (675mm x 420mm x 220mm)

Overall Dimensions – Medium Capacity:

35-9/16" H x 16-9/16" W x 8-11/16" D (904mm x 420mm x 220mm)

Overall Dimensions – Large Capacity:

35-9/16" H x 16-9/16" W x 12-11/16" D (904mm x 420mm x 321mm)

MasterFormat Title: Commercial Toilet Accessories

MasterFormat Number: 10 28 13.13

OmniClass Title: Toilet and Bath Specialties

OmniClass Code: 23.31.25.00

Product Compliance

Complies with

- The Americans with Disabilities Act (ADA)
- ANSI/ICC A117.1 - Accessible and Usable Buildings & Facilities



Listed by UL Environment to


- GreenGuard Gold



- ☒ Consult local and national accessibility codes for proper installation guidelines. Conformity and compliance with local and national codes is the responsibility of the installer.

Orders composed of products indicated as **BradEX®** will be available to ship in three days after receipt of order at the factory. There is no pricing penalty for this service from Bradley.

Verify all rough-in dimensions prior to installation.



Finishes

- ☒ Click on any color swatch to view as a larger image.



*Electrocoat Finishes, see Optional Electrocoat Finishes section on page 2.

For information on Warranties, Maintenance and BAA/ARRA Compliance, visit our website at: bradleycorp.com/washroom-accessories-products



A WATTS Brand


3B1-00 & 3B1-10 Series

Elvari™ Recessed & Semi-Recessed Waste Receptacles


Dimensions – Recessed

(mm)


Small Capacity



Large Capacity



Medium Capacity



Orders composed of products indicated as **BradEX®** will be available to ship in three days after receipt of order at the factory. There is no pricing penalty for this service from Bradley.

Verify all rough-in dimensions prior to installation.



A WATTS Brand

2B1 Series

Elvari™ Surface-Mounted Towel Dispenser

Key Features

- High quality and modern style complements other [Elvari™ products](#)
- Advanced weld construction
- Pill-shape design
- Concealed BradLock™ magnetic locking system
- Red, low-level indicator

Operation

Towel dispenser holds C-fold or multi-fold towels with integral, easy-feed towel guide liner. BradLock system and magnetic key provide security, a seamless design, and easy access for service. Magnetic lock location is hidden from view behind the Bradley logo.

Capacity

Small Capacity: Approximately 400 folded paper towels

Medium Capacity: Approximately 500 folded paper towels

Large Capacity: Approximately 800 folded paper towels

Guide Specification

Surface-mounted towel dispenser. High quality and style. 20-gauge, 300 series stainless steel in a brushed #3 satin finish or optional electrocoat finishes. Welded, pill-shape construction. Red, low-level indicator provides notice that refill is needed. Integral, easy-feed towel guide liner. Magnetic locking system and magnetic key included.

Overall Dimensions – Small Capacity:

9-13/16" H x 13-15/16" W x 4" D (214mm x 354mm x 102mm)

Overall Dimensions – Medium Capacity:

16-13/16" H x 13-15/16" W x 4" D (427mm x 354mm x 102mm)

Overall Dimensions – Large Capacity:

24-1/16" H x 13-15/16" W x 4" D (611mm x 354mm x 102mm)

MasterFormat Title: Commercial Toilet Accessories

MasterFormat Number: 10 28 13.13


OmniClass Title: Toilet and Bath Specialties

OmniClass Code: 23.31.25.00

For information on Warranties, Maintenance and BAA/ARRA Compliance, visit our website at: bradleycorp.com/washroom-accessories-products

Orders composed of products indicated as **BradEX®** will be available to ship in three days after receipt of order at the factory. There is no pricing penalty for this service from Bradley.

Verify all rough-in dimensions prior to installation.



Model 2B1-110000 shown

Product Compliance

Complies with

- The Americans with Disabilities Act (ADA) 
- ANSI/ICC A117.1 - Accessible and Usable Buildings & Facilities

Listed by UL Environment to

- GreenGuard Gold



- ☒ Consult local and national accessibility codes for proper installation guidelines. Conformity and compliance with local and national codes is the responsibility of the installer.

Finishes

- ☒ Click on any color swatch to view as a larger image.



*Electrocoat Finishes, see Optional Electrocoat Finishes section on page 2.




2B1 Series

Elvari™ Surface-Mounted Towel Dispenser


Dimensions

(mm)


Small Capacity



Medium Capacity



Large Capacity



Orders composed of products indicated as **BradEX** will be available to ship in three days after receipt of order at the factory. There is no pricing penalty for this service from Bradley.

Verify all rough-in dimensions prior to installation.



5B2 Series

Elvari™ Toilet Paper Dispenser

Key Features

- High quality and modern style compliments other [Elvari™ products](#)
- Concealed BradLock™ magnetic locking system
- Advanced weld construction
- Unique retaining mechanism for spare roll

Operation

Cabinet holds two rolls up to 4-1/2" W x 5-1/4" diameter standard core toilet paper, one above the other. When first roll is spent, fresh roll automatically drops down for use. Unique retaining mechanism prevents use of spare roll until first roll is completely spent. Spindles non-removable by user. Hinged door permits access to storage compartment for servicing the unit. BradLock system and magnetic key provide security, a seamless design, and easy access for service. Magnetic lock location is hidden from view behind the Bradley logo.

Guide Specification

Surface-mounted or recessed toilet paper dispenser. Single roll up to 5-1/4" diameter in standard roll dispenser with drop-down, roll-in-reserve. Rolls mounted on non-removable molded polyethylene spindles. Equipped with bottom-hinged service door with magnetic lock and key provided. 20-gauge, 300 series stainless steel in brushed #3 satin finish or optional electrocoat finishes on exposed surfaces.

Overall Dimensions – Surface-Mounted:

5-11/16" W x 10-1/2" H x 5-9/16" D (144mm x 266mm x 142mm)

Overall Dimensions – Recessed-Mounted:

7-5/8" W x 12-1/2" H x 5-9/16" D (193mm x 318mm x 142mm)

MasterFormat Title: Commercial Toilet Accessories

MasterFormat Number: 10 28 13.13

OmniClass Title: Toilet and Bath Specialties

OmniClass Code: 23.31.25.00

Product Compliance

Complies with

- The Americans with Disabilities Act (ADA)
- ANSI/ICC A117.1 - Accessible and Usable Buildings & Facilities

Listed by UL Environment to


- GreenGuard Gold



For information on Warranties, Maintenance and BAA/ARRA Compliance, visit our website at: bradleycorp.com/washroom-accessories-products

Orders composed of products indicated as **BradEX®** will be available to ship in three days after receipt of order at the factory. There is no pricing penalty for this service from Bradley.

Verify all rough-in dimensions prior to installation.



Finishes

☒ Click on any color swatch to view as a larger image.



*Electrocoat Finishes, see Optional Electrocoat Finishes section on page 2.

Complementary Bradley Products

- [Euro Style Partitions – Highrise Series](#)
- [Euro Style Partitions – Skyline Series](#)
- [Euro Style Partitions – Float Series](#)
- [Euro Style Partitions – Lucent Series](#)
- [Euro Style Partitions – Loft Series](#)

☒ Consult local and national accessibility codes for proper installation guidelines. Conformity and compliance with local and national codes is the responsibility of the installer.



A WATTS Brand

8B1 Series Elvari™ Grab Bar

Key Features

- High quality and modern style complements other [Elvari™ products](#)
- Non-traditional oval bar with standoff
- Flangeless, concealed mounting
- Optional hooks for personal items, two per bar
- Grip options in standard or peened finish

Product Materials

TUBING: Oval, 1-9/16" H x 1-3/64" W. 18-gauge, 300 stainless steel with a brushed #3 satin finish or optional electrocoat finishes. All exposed welds ground and polished to blend. Each grab bar features welded studs and rectangular standoffs.

STANDOFF: The grab bar standoffs are made from a long-lasting, durable, zinc alloy in a brushed #3 satin finish. Standoff provides 1-1/2" standard safety clearance between wall and bar. Zamak 3 (ASTM AG40A).

HOOKS (Optional): Optional hooks are available for holding personal items. Hooks mount between the wall and back of the standoffs and are constructed of 14-gauge, 300 series stainless steel in a brushed #3 satin finish.

Strength

When properly mounted, all Bradley heavy-duty grab bar systems meet or exceed the requirements of ANSI Standard A117.1, the ADA and ABA Accessibility Guidelines for Buildings and Facilities (ADAAG), and the Uniform Federal Accessibility Standard (UFAS). 8B1 series grab bars are rated to support up to 250 pounds. Wall must be reinforced in the area of the grab bar in order to support the load it is intended to support.

Guide Specification

Oval grab bar shall be fabricated of 18-gauge, 300 series stainless steel in a brushed #3 satin finish with welded end caps. Peened finish available for gripping surface area. Optional hooks shall be fabricated of 14-gauge, 300 series stainless steel in a brushed #3 satin finish or peened finish. Optional electrocoat colors available.

MasterFormat Title: Commercial Toilet Accessories

MasterFormat Number: 10 28 13.13

OmniClass Title: Toilet and Bath Specialties

OmniClass Code: 23.31.25.00

BradEX® Models

Standard Model Number	Length (mm)	Hooks (qty. 2)
8B1-0011800	18" (457)	No
8B1-0012400	24" (610)	No
8B1-0013600	36" (915)	No

Orders composed of products indicated as **BradEX®** will be available to ship in three days after receipt of order at the factory. There is no pricing penalty for this service from Bradley.


Page 1 of 3

10/31/2024

This information is subject to change without notice.

Bradley_GrabBar_8B1

[View Latest Version](#)



Finishes

☒ Click on any color swatch to view as a larger image.

- Brushed Black*
- Brushed Brass*
- Brushed Bronze*
- Brushed Nickel*
- Brushed Stainless*
- Satin Stainless

*Electrocoat Finishes, see Optional Electrocoat Finishes section on page 2.

Product Compliance

Complies with

- ADA
- ADAAG
- ICC ANSI A117.1
- UFAS



☒ Consult local and national accessibility codes for proper installation guidelines. Conformity and compliance to local national codes is the responsibility of the installer.

Listed by UL Environment to

- GreenGuard Gold



Complementary Bradley Products

- [Euro Style Partitions – Highrise Series](#)
- [Euro Style Partitions – Skyline Series](#)
- [Euro Style Partitions – Float Series](#)
- [Euro Style Partitions – Lucent Series](#)
- [Euro Style Partitions – Loft Series](#)

For information on Warranties, Maintenance and BAA/ARRA Compliance, visit our website at: bradleycorp.com/washroom-accessories-products

© 2024 Bradley

P.O. Box 309, Menomonee Falls, WI 53052-0309
800 BRADLEY (800 272 3539) +1 262 251 6000
bradleycorp.com



Key Features

- High quality and modern style complements other [Elvari™ products](#)
- Advanced weld construction
- Concealed BradLock™ magnetic locking system
- Red, low-level indicator
- Non-proprietary liquid soap/gel sanitizer or foam soap

Operation

Manually-activated mechanism dispenses measured amount of vegetable or coconut oil soaps, synthetic detergents, gel sanitizer, or foam soap. Red, low-level indicator provides notice that refill is needed. BradLock system and magnetic key provide security, a seamless design, and easy access for service. Magnetic lock location is hidden from view behind the Bradley logo.

Capacity

40 oz. (1183 mL) liquid soap/gel sanitizer or bulk foam soap

Guide Specification

Recessed soap dispenser shall be fabricated of 20-gauge, 300 series stainless steel in a brushed #3 satin finish or optional electrocoat finishes. Dispenser shall have completely concealed mounting, integral drip tray, and low-level indicator. Capacity is 40-oz liquid soap/gel sanitizer or bulk foam soap. Mounting hardware is not included.

Overall Dimensions:

18-9/16" H x 7" W x 4-1/4" D (472mm x 178mm x 108mm)

MasterFormat Title: Commercial Toilet Accessories

MasterFormat Number: 10 28 13.13

OmniClass Title: Toilet and Bath Specialties

OmniClass Code: 23.31.25.00

Product Compliance

Complies with

- The Americans with Disabilities Act (ADA)
- ANSI/ICC A117.1 - Accessible and Usable Buildings & Facilities



Listed by UL Environment to

- GreenGuard Gold



- ☒ Consult local and national accessibility codes for proper installation guidelines. Conformity and compliance with local and national codes is the responsibility of the installer.

Verify all rough-in dimensions prior to installation.



Finishes

☒ Click on any color swatch to view as a larger image.



*Electrocoat Finishes, see Optional Electrocoat Finishes section on page 2.

- ☒ Bradley liquid soap valves operate best with vegetable oil or coconut oil hand soap having a 10–15% soap concentration.

- ☒ Bradley foam soap valves work with majority of bulk foam soap.

For information on Warranties, Maintenance and BAA/ARRA Compliance, visit our website at: bradleycorp.com/washroom-accessories-products

Key Features

- High quality glass and modern style complements other [Elvari™ products](#)
- Seamless welded stainless steel frame
- Radiused corners for a softer design
- Concealed, tamper-resistant mounting bracket
- Optional stainless steel shelf that easily mounts to or detaches from mirror mounting bracket

Guide Specification

Frame and frameless mirrors shall be high quality 1/4" flat glass, guaranteed for 15 years against silver spoilage. Radiused corners and edges ground and polished smooth. Vertical mounting only. Frame mirrors feature 20-gauge stainless steel frame in brushed #3 satin finish or optional electrocoat finishes. Available with an optional 16-gauge, 300 series stainless steel shelf in a brushed #3 satin finish. Shelf is 5-1/2" deep, lengths vary based on mirror width. Tamper-resistant mounting. Mirror can be removed using removal tool #330-074 (order separately).

Product Compliance

Complies with

- ADA 

Listed by UL Environment to

- GreenGuard Gold 

- ☒ Consult local and national accessibility codes for proper installation guidelines. Conformity and compliance to local national codes is the responsibility of the installer.

BradEX® Models


Standard Model Number	Series Type	Width (mm)	Height (mm)
7B1-0018300	Frame	18" (457)	30" (762)
7B1-0018360	Frame	18" (457)	36" (915)
7B1-0024360	Frame	24" (610)	36" (915)
7B1-2018360	Frame with Shelf	18" (457)	36" (915)
7B1-2024360	Frame with Shelf	24" (610)	36" (915)
7B1-1024360	Frameless	24" (610)	36" (915)
7B1-1030360	Frameless	30" (762)	36" (915)
7B1-3024360	Frameless with Shelf	24" (610)	36" (915)
7B1-3030360	Frameless with Shelf	30" (762)	36" (915)

Orders composed of products indicated as **BradEX®** will be available to ship in three days after receipt of order at the factory. There is no pricing penalty for this service from Bradley.

Verify all rough-in dimensions prior to installation.

Page 1 of 3
This information is subject to change without notice.
Bradley_Mirror_7B1-Series

[View Latest Version](#)




Finishes

- ☒ Click on any color swatch to view as a larger image.

-  Brushed Black*
-  Brushed Brass*
-  Brushed Bronze*
-  Brushed Nickel*
-  Brushed Stainless*
-  Satin Stainless

*Electrocoat Finishes, see Optional Electrocoat Finishes section on page 2.

For information on Warranties, Maintenance and BAA/ARRA Compliance, visit our website at: bradleycorp.com/washroom-accessories-products



ASI 26A
10/2/25